


WOOD PARQUET


In-Range Decors

Gotland


1820 x 190 x 14mm | 3.2 mm surface | 2 way bevel



Sunrise Oak, Plank
W1705 - 04003
6 Panels/pack, 2.075 m²/pack



Bourbon Oak, Plank
W1705 - 04006
6 Panels/pack, 2.075 m²/pack




Merbau, Plank
W1705 - 03544
6 Panels/pack, 2.075 m²/pack




Ashen Grey Oak, Plank
W1706 - 04004,
6 Panels/pack, 2.075 m²/pack

Bornholm

1820 x 145 x 14mm | 3.2 mm surface | 2 way bevel



Mild Walnut, Plank
W1708-03999
6 Panels/pack, 1.583 m²/pack



Fawn Oak, Plank
W1708-03998
6 Panels/pack, 1.583 m²/pack

Svalbard

2200 x 220 x 14mm | 3.2 mm surface | 4 way bevel



Hazel Oak, Plank
W1703 - 03096
4 Panels/pack, 1.936 m²/pack

Värmdö


2200 x 190 x 14mm | 3.2 mm surface



Organic Oak, 3 Strip
W1911 - 04008
6 Panels/pack, 2.508 m²/pack



Toast Oak, 3 Strip
W1911 - 04007
6 Panels/pack, 2.508 m²/pack



Carob Walnut, 3 Strip
W1911 - 04064
6 Panels/pack, 2.508 m²/pack


On-Request Decors

Gotland


1820 x 190 x 14mm | 3.2 mm surface | 2 way bevel




Daisy Oak, Plank
W1705 - 03884
6 Panels/pack, 2.075 m²/pack



Champagne Oak, Plank
W1705 - 04002
6 Panels/pack, 2.075 m²/pack



Mustard Oak, Plank
W1706 - 04005
6 Panels/pack, 2.075 m²/pack




Charcoal Oak, Plank
W1706 - 03889
6 Panels/pack, 2.075 m²/pack

Bornholm

1820 x 145 x 14mm | 3.2 mm surface | 2 way bevel



Brick Walnut, Plank
W1708 - 03997
6 Panels/pack, 1.583 m²/pack



Peanut Oak, Plank
W1708 - 04001
6 Panels/pack, 1.583 m²/pack

Svalbard


2200 x 220 x 14mm | 3.2 mm surface | 4 way bevel




Granule Oak, Plank
W1703 - 03790
4 Panels/pack, 1.936 m²/pack

Värmdö


2200 x 190 x 14mm | 3.2 mm surface



Vivid Walnut, 3 Strip
W1911 - 03042
6 Panels/pack, 2.508 m²/pack



Natural Merbau, 3 Strip
W1911 - 01366
6 Panels/pack, 2.508 m²/pack



Harvest Iroko, 3 Strip
W1911 - 03487
6 Panels/pack, 2.508 m²/pack

GRADINGS:
Selected, Ascent, Lively

  x2     x2 

For technical reasons, actual product may differ from printed Decor Swatches, visit us for hands-on experience.

ORIGINAL LAMINATE

public Extreme

- Class 34 • AC-6 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- Lifetime warranty* - Residential use: Fade, Wear and Stain


Note: All in range SKU's under Original Excellence & Living Expression other than Sensation can be developed in Public Extreme on request.

original Excellence


- Class 33 • AC-5 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- Lifetime warranty* - Residential use: Fade, Wear and Stain




Vineyard Oak, Plank
L0201-03366 Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



Elegant Walnut, 2 Strip
L0201-01471 Classic Plank
7 Panels/pack, 1.596 m²/pack
SO / SP



Merbau, Plank
L0201-01599 Classic Plank
7 Panels/pack, 1.596 m²/pack
SO / SP



Sand Oak, Plank
L0205-01768 Classic Plank 2V-EP
7 Panels/pack, 1.596 m²/pack
GW / MA



Barista Oak, Plank
L0205-01769 Classic Plank 2V-EP
7 Panels/pack, 1.596 m²/pack
GW / MA



Heritage Oak, Plank
L0205-01775 Classic Plank 2V-EP
7 Panels/pack, 1.596 m²/pack
GR / SM



Elegant Oak, 3 Strip
L0201-01789 Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



Walnut, 3 Strip
L0201-01791 Classic Plank
7 Panels/pack, 1.596 m²/pack
SO / SP



Premium Oak, Plank
L0201-01801 Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



Mountain Grey Oak, Plank
L0201-01802 Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



Thermotreated Oak, Plank
L0201-01803 Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



Natural Oak, Plank
L0201-01804 Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM

*Lifetime warranty means 33 years for residential use only. Commercial warranty on request.

For technical reasons, actual product may differ from printed Decor Swatches, visit us for hands-on experience.



1200 x 190 x 8 mm

Silver Oak, Plank
L0201-01807 Classic Plank
7 Panels/pack, 1.596 m²/pack
GW / SM



1200 x 190 x 8 mm

Natural Sawcut Oak, Plank
L0201-01809 Classic Plank
7 Panels/pack, 1.596 m²/pack
GC / SM



1200 x 123.4 x 8 mm

Ebony Oak, Plank
L0211-01818*
L1211-01818** Plank 4V
12 Panels/pack, 1.777 m²/pack
SO / SP

*Old product code. **New product code.

For technical reasons, actual product may differ from printed Decor Swatches, visit us for hands-on experience.



Elegant Walnut, 2 Strip

It's a sensation

Can you tell the difference?

The new, deeper
embossing highlights
every grain in our wood
designs

Beautiful details

Every design underlines
the natural character of
wood, even down into
the bevels

A look to love

A new matt finish brings
out the best of wood and
puts the final touch on the
Pergo Sensation floors

Feel the sensation


Visit your nearest
dealer for a hands-on
experience

living Expression



- Class 32 • AC-4 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- 25 years warranty* - Residential use: Fade, Wear and Stain • AquaSafe

Note: Sensation SKU's can also be developed in Original Excellence on request.



1380 x 190 x 8 mm
Limed Grey Oak, Plank
L0331-03367 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GW / EM



1380 x 190 x 8 mm
Manor Oak, Plank
L0331-03370 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GR / SM



1380 x 190 x 8 mm
Farmhouse Oak, Plank
L0331-03371 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GR / SM



1380 x 190 x 8 mm
Modern Danish Oak, Plank
L0331-03372 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GW / SM



1380 x 190 x 8 mm
Village Oak, Plank
L0331-03375 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack
GW / EM

living Expression


- Class 32 • AC-4 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- 25 years warranty* - Residential use: Fade, Wear and Stain



2050 x 205 x 9.5 mm
Classic Beige Oak, Plank
L0323-03359 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GR / SM



2050 x 205 x 9.5 mm
Royal Oak, Plank
L0323-03360 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GR / SM



2050 x 205 x 9.5 mm
Chocolate Oak, Plank
L0323-01754 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GW / SM



2050 x 205 x 9.5 mm
Burnt Oak, Plank
L0323-01757 Long Plank 4V
6 Panels/pack, 2.522 m²/pack
GW / SM

*Commercial warranty on request.

For technical reasons, actual product may differ from printed Decor Swatches, visit us for hands-on experience.

DOMESTICextra

• Class 32 • AC-4 Grade • 20 years warranty* - Residential use: Fade, Wear and Stain




1200 x 190 x 8 mm
Harmony Oak, Plank
L0701-1459
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
Authentic Oak, Plank
L0701-1462
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
European Walnut, 3 Strip
L0701-1791
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
African Oak, Plank
L0701-1818
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
Classic Grey Oak, 3 Strip
L0701-1821
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
Classic Oak, Plank
L0701-1824
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
Pecan, Plank
L0701-2123
7 Panels/pack, 1.596 m²/pack




1200 x 190 x 8 mm
Salted Lapacho, Plank
L0701-2127
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
Smoked Oak, Plank
L0701-2135
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
Italian Walnut, Plank
L0701-2136
7 Panels/pack, 1.596 m²/pack



1288 x 196 x 8 mm
Red Oak, Plank
L0499-2200
8 Panels/pack, 2.02 m²/pack



1200 x 190 x 8 mm
Spanish Oak, Plank
L0701-2254
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm
Amber Oak, Plank
L0701-2259
7 Panels/pack, 1.596 m²/pack

*Commercial warranty on request.

For technical reasons, actual product may differ from printed Decor Swatches, visit us for hands-on experience.

Universal

• Class 31 • AC-3 Grade • 10 years warranty* - Residential use: Fade, Wear and Stain



1288 x 196 x 8 mm
Acacia Chocolate
PU-3500 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Acacia Smoked
PU-3503 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Empire Oak
PU-3506 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Canyon Pekan
PU-3507 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm
Caramel Walnut
PU-3514 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Everest Oak
PU-3523 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Classic Teak
PU-3525 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Classic Walnut
PU-3526 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Wenge Panga Panga
PU-3901 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Tropical Chengal
PU-4621 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Siam Teak
PU-4629 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm
Madagascar
PU-4630 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Forest Oak
PU-4632 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Merbau Schiffsboden
PU-4641 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm
Plateau Oak
PU-4661 Deep Emboss
8 Panels/pack, 2.02 m²/pack

For technical reasons, actual product may differ from printed Decor Swatches, visit us for hands-on experience.

Beauty beyond looks

There is more to a beautiful floor than meets the eye. That is why Pergo laminate floors not only look authentic, they feel that way too.

Our collections feature seven different surface textures that each serve to enhance the authentic impression of your laminate floor. From the well-worn vintage look to the natural feeling of wood grains. To allow more fine tuning of your interior design, our surface structures are

also available in different levels of gloss. No matter what style you're looking for, Pergo floors provide a sophisticated way to bring out even more of the character you want for your home.



Genuine™ wood, **GW**

A subtle wood structure which follows the wood grain in every detail, an effect that is even more prominent in our Sensation floors. Available in different gloss levels.



Genuine™ rustic, **GR**

A pronounced wood structure that follows the wood grain in every detail, which is highlighted even more in Pergo Sensation floors. Can have cracks, knots and scraped effects.



Genuine™ sawcut, **GC**

Realistic wood structure with a saw effect.




Genuine™ stone, **GS**

A life-like impression that follows the structure of real stone tiles.



Wood, **WO**

A fine and realistic wood texture, which highlights any kind of wood decor from light to dark wood species. Available in different gloss levels.



Smooth, **SO**

A silky, smooth surface for a softer touch and modern look. Available in different gloss levels.



Antique wood, **AW**

A rustic texture with a vintage feeling.

Structure

WO	Wood
SO	Smooth
GW	Genuine™ wood
GR	Genuine™ rustic
GC	Genuine™ sawcut
GS	Genuine™ stone
AW	Antique wood


Gloss

SP	Semi polished
SM	Silk matt
MA	Matt
EM	Extra matt

Best durability!

Thanks to the patented TitanX™ surface protection, a Pergo laminate floor will keep its elegant finish year in and year out. TitanX™ is a multilayer technology that includes protective layers of aluminium oxide particles, which provides superior resistance to wear and scratching. And with the special impact layers combined with a high quality core material, TitanX™ also provides very high resistance for handling dropped objects and high heels.

- 1 Superior wear and scratch resistance layer
- 2 Crystal clear decor
- 3 Excellent impact resistance
- 4 Moisture resistant HDF core
- 5 Back stabiliser



Why choose a Pergo floor!



Wear protection

Pergo's patented TitanX™ surface is the best multilayer protective floor finish on the market, providing wear resistance that exceeds normal standards for commercial environments.



Easy installation

Pergo's patented PerfectFold™ 3.0 installation system makes installation faster and easier because you can simply fold the floor into place.



Scratch resistance

The TitanX™ surface has an extra protective layer providing the best scratch and scuff resistance in the market, so your Pergo floor will retain its lustre much longer than other laminate floors.



Water resistance

Pergo's Moisture Resistance System combines moisture resistant core materials with a strong and tight click joint. The result is a product, which is amongst some of the most moisture-resistant floors in the market.



Impact resistance

The unique multilayer construction of our TitanX™ surface together with a dense core material provides very high impact resistance for handling dropped objects and high heels.



High fire resistance

A Pergo floor with TitanX™ surface has a natural high resistance to fire, thanks to its multilayer construction. This, in combination with the core's density allows for faster heat dissipation.



Easier cleaning

A Pergo floor with TitanX™ surface is much easier to clean than ordinary floors. The reason is that the TitanX™ surface is so tightly sealed that dirt simply cannot settle in.



Anti-static

Pergo laminate floors eliminate static electricity. Electrostatic charges generated by Pergo laminate floors are generally very low, but to reduce them even more we have developed a technology to give selected floors permanent antistatic properties throughout the life of the floor.




Hygienic

A Pergo laminate floor makes it easier to maintain a high level of hygiene. Bacteria require nourishment and moisture in order to thrive and the tightly sealed, easy to clean TitanX™ surface makes this impossible. This provides a high level of hygiene naturally, without chemical antiseptics.

fast
& easy
installation


Your floor is just a click away!

Installing your Pergo floor is now faster and easier than ever. The innovative PerfectFold™ 3.0 system is available with Pergo laminate floors at all quality levels. Just click the planks together using the method that works best for you and it'll be done in no time. There's no risk of you damaging the floor panels. Even if you want to reinstall your planks, the PerfectFold™ 3.0 system makes it easy to lift them up and replace them whenever necessary.



Drop down

This is the ideal method for quickly installing and covering a large area. Click the plank at the long side joint, then slide it until it meets the end of the previously installed plank, and press down.



Insert horizontally

Unlike many other brands, Pergo laminate floors can also be inserted horizontally. This is a very handy option for places where it is difficult or impossible to tilt the planks (when installing the last row of planks, or under door frames and radiators).



Angle

If you prefer, Pergo offers a third option for installing your new laminate floor. Simply, hold it at an angle and click the planks together at the short end.

*Domestic Extra Uniclic comes with the Uniclic system offering two different installation methods: Hold it at an angle & insert horizontally

Formats

	Length	Panel, mm Width	Thickness	Panels/pack	m ² /pack	Packages Pack/pallet	m ² /pallet
public Extreme							
L0101-xxxxx Classic Plank	1200	190	9	6	1.368	48	65.66
L0105-xxxxx Classic Plank 2V – EP	1200	190	9	6	1.368	48	65.66
L0123-xxxxx Long Plank 4V	2050	205	10	6	2.522	44	110.95
original Excellence							
L0201-xxxxx Classic Plank	1200	190	8	7	1.596	48	76.61
L0205-xxxxx Classic Plank 2V – EP	1200	190	8	7	1.596	48	76.61
L0223-xxxxx Long Plank 4V	2050	205	9,5	6	2.522	44	110.95
L0231-xxxxx Modern Plank 4V – Sensation	1380	190	8	7	1.835	48	88.08
living Expression							
L0301-xxxxx Classic Plank	1200	190	8	7	1.596	48	76.61
L0305-xxxxx Classic Plank 2V – EP	1200	190	8	7	1.596	48	76.61
L0323-xxxxx Long Plank 4V	2050	205	9,5	6	2.522	44	110.95
L0331-xxxxx Modern Plank 4V – Sensation	1380	190	8	7	1.835	48	88.08
domestic Extra Uniclic							
L0701-xxxxx Classic Plank	1200	190	8	7	1.596	48	76.61

Matching matrix



5-in-1
13 x 48
PGINCP(-)



**Wallbase
straight**
14 x 58
PGSKR(-)

public Extreme	original Excellence	living Expression	Art.nr / Decor	5-in-1 13 x 48 PGINCP(-)	Wallbase straight 14 x 58 PGSKR(-)
L0101-01471	L0201-01471	L0301-01471	Elegant Walnut, 2-strip	01471	01471
L0101-01599	L0201-01599	L0301-01599	Merbau, plank	01599	01599
L0101-01789	L0201-01789	L0301-01789	Elegant Oak, 3-strip	01789	01789
L0101-01791	L0201-01791	L0301-01791	Walnut, 3-strip	01791	01791
L0101-01801	L0201-01801	L0301-01801	Premium Oak, plank	01801	01801
L0101-01802	L0201-01802	L0301-01802	Mountain Grey Oak, plank	01802	01802
L0101-01803	L0201-01803	L0301-01803	Thermotreated Oak, plank	01803	01803
L0101-01804	L0201-01804	L0301-01804	Natural Oak, plank	01731	01731
L0101-01807	L0201-01807	L0301-01807	Silver Oak, plank	01807	01807
L0101-01809	L0201-01809	L0301-01809	Natural Sawcut Oak, plank	01798	01798
L0101-03366	L0201-03366	L0301-03366	Vineyard Oak, plank	03366	03366
L0105-01768	L0205-01768	L0305-01768	Sand Oak, plank	01768	01768
L0105-01769	L0205-01769	L0305-01769	Barista Oak, plank	01769	01769
L0105-01775	L0205-01775	L0305-01775	Heritage Oak, plank	01775	01775
L0123-01757	L0223-01757	L0323-01757	Burnt Oak, plank	01757	01757
L0123-01754	L0223-01754	L0323-01754	Chocolate Oak, plank	01754	01754
L0123-03359	L0223-03359	L0323-03359	Classic Beige Oak, plank	03359	03359
L0123-03360	L0223-03360	L0323-03360	Royal Oak, plank	03360	03360
	L0231-03367	L0331-03367	Limed Grey Oak, plank	03367	03367
	L0231-03370	L0331-03370	Manor Oak, plank	03370	03370
	L0231-03371	L0331-03371	Farmhouse Oak, plank	03371	03371
	L0231-03372	L0331-03372	Modern Danish Oak, plank	03372	03372
	L0231-03375	L0331-03375	Village Oak, plank	03375	03375

Technical guide

Features

	public Extreme	original Excellence	living Expression	domestic Extra Uniclic
TitanX™	•	•	•	•
Scratch Resistance	Very high	Very high	High	High
Moisture Resistance	Very high	High	High	Medium
PerfectFold™ 3.0	•	•	•	–
Antistatic	•	•	•	•
Hygienic	•	•	•	•
Environmental label PEFC	•	•	•	•
Environmental label Nordic Ecolabel	•	•	•	•
Triple Warranty	Lifetime	Lifetime	25 years	20 years

Technical

Standard

	Standard	public Extreme	original Excellence	living Expression	domestic Extra Uniclic
Class of use	EN 13329	34	33	32	32
Fire classification	EN 13501	Bf-s1	Bf-s1	Cf-s1	Cf-s1
Formaldehyde emission	EN 717	E1	E1	E1	E1
VOC emission	agBB/DIBt	•	•	•	•
Generic anti-microbial effect	JIS Z 2801	> 99%	> 99%	> 99%	> 99%
Wear Resistance	EN 13329	AC6	AC5	AC4	AC4
Impact Resistance	EN 13329	IC4	IC3	IC2	IC2
Resistance to Castor Chair	EN 13329 (class 34)	No damage	–	–	–
Resistance to Castor Chair	EN 13329	No damage	No damage	No damage	No damage
Slip Resistance	EN 14041	Class DS	Class DS	Class DS	Class DS
Thermal Resistance	EN 12667	0,07 m² K/W	0,07 m² K/W	0,06 m² K/W	0,06 m² K/W
Body Voltage	EN 1815	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)



PGINCP(-)

2150 x 13 x 48 mm



(see matching matrix for correct art no.)

5 perfect finishes in 1


Pergo 5-in-1 offers different moulding solutions for different parts of your floor, all wrapped up in one handy package. The mouldings match your floor perfectly in colour as well as in texture, and the all-in-one solutions provide a seamless result. The surface is a wear and scratch-resistant laminate. The core consists of HDF and the bottom is made of plastic. With the patented Incizo® solution, you can simply cut the moulding to the shape you need. Suitable for flooring heights between 7 and 10 mm.



T-moulding
From laminate to laminate




Carpet transition
From laminate to carpet



Hard surface reducer
From laminate to ceramic, vinyl or linoleum



End moulding
Finishing up to threshold, sliding doors, etc.




Stair nose moulding, flush
For a flush finish on stair treads



Stair nose moulding
For a step down from a floating floor, e.g. at the top of the stairs or a step down in a room




Stair nose aluminium (on request)
Fits to flooring thickness of 7 - 16 mm, W = 23 mm, L = 2.7 m.
PGSTPSILV, silver.
Surface: aluminium.



The Incizo® subprofile is required for stair application and has to be ordered separately.
NEINCPBASE (on request)



Wallbase, straight
PGSKR(-), 2400 x 14 x 58 mm
PGPSKR(-), 2400 x 14 x 77 mm (on request)
See matching matrix for correct art no.



Colour matched.
Surface: wear and scratch-resistant laminate.
Core: MDF.



Combi moulding, aluminium (on request)
PGPRSILV, silver

T-moulding and reducer in one. Plastic bottom rail.
Suitable for height differences of 0 - 12.3 mm.
1860 x 47 mm, H: 10 mm (uninstalled).
Colour: silver. Surface: aluminium.



End moulding, aluminium (on request)
PGENPSILV, silver

Fits to flooring thickness of 6 - 10 mm.
2700 x 25 mm.
Colour: silver. Surface: aluminium.

Aqua accessories

For wet area use with Pergo Sensation floors



Aqua Sealant

PGKITTRANSP
310 ml. A high-quality, transparent and elastic one-component silicone that creates an invisible and waterproof finishing around wallbases, mouldings, transitions, door frames, etc.



Foamstrip

NEFOAMSTRIP20
20 m x 10 mm. PE foam expansion joint filler. Serves as an elastic filler of all dilatation gaps around the floor perimeter. Requires sealing with Aqua Sealant.

Maintenance

The tightly sealed TitanX™ surface prevents dirt from taking hold, making Pergo laminate floors easy to clean. Our high-quality, ergonomically designed original maintenance accessories make it even easier to keep your floor looking fresh for longer. To maintain the lustre of a Pergo floor, avoid using regular cleaning products such as soaps and detergents as these will form a film on the surface. Pergo's special all round cleaner removes dirt without leaving a film if used correctly.



All round Floor Cleaner
PGCLEANALL1000
Specially developed for cleaning laminate, wood and vinyl flooring. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Repair wax
PGREPAIR
Repair the colour of damaged planks quickly and easily with wax in colours covering the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com

The world's most preferred flooring



www.pergo.co.in

Toll Free No - 1800 102 3415

PERGO
FLOORS FOR REAL LIFE

Pergo India Pvt. Ltd.

M-13, 1st Floor, M-Block Market
Greater Kailash - II, New Delhi - 110 048
+91 11 41435741, +91 8595422264
Email: customercare.delhi@unilin.com

55, Dr. E. Moses Road
Worli, Mumbai - 400 018
+91 22 66627900, +91 7498909222
Email: customercare.mumbai@unilin.com

816/02, 1st Floor, 16th Cross, WKP Road
Jayanagar 7th Block, Bangalore - 560082
+91 80 32520009, +91 9353024790

Chandigarh, Punjab, Haryana, J&K and HP: +91 9872999005 • Delhi NCR: +91 8595422251 • Maharashtra (Except Mumbai): +91 7498909208
• MP & Chhattisgarh: +91 9993713958 • Mumbai, Gujarat & AP: +91 7498909201 • Karnataka: +91 9353024790/1 • Kerala: +91 8588806908
• Kolkata & East: +91 9830802000 • Rajasthan: +91 8588804613 • Tamil Nadu: +91 8588804512 • UP & UK: +91 8588806823

Like and follow us for updates [f](#) PERGOINDIA | [t](#) Pergolnd | [i](#) Pergolndia