



Outdoor Floors

SWIMMING POOLS
GARDEN PATHS
PATIOS / SAUNAS
FITNESS CENTRES
SEASIDE LIDOS
BALCONY / TERRACES
EXHIBITIONS

WOOD^{ON} DECKS



Tile Size: 1' x 1' & 2' x 1'

WOOD ON DECKS

"WOOD ON DECKS" can give a warm "wood" look to your balcony / patio / porch.

"WOOD ON DECKS", is as easy as a child's play to install. An entire Patio / Deck or a Garden Path can be done-up in one afternoon. The base can be put on the floor, and the tongue and groove, left inter-locked and floating. The installation does not require any special tools and once installed our tiles not only give a superb new look but are also lasting and durable. We provide a "Limited Warranty" of 10 years.



"WOOD ON DECKS" Advantages

- ▶ Very easy to Install, no major carpentry skills needed.
- ▶ Factory finished, hence eliminates requirement of any treatment at site.
- ▶ Re-usable Tiles, so can be shifted to another premises.
- ▶ Made of Teak Wood, therefore are very durable and long lasting.
- ▶ Can be cleaned simply by wiping or with the use of a garden hose.
- ▶ No surface preparation needed at all upto a level of 2-5 mm.
- ▶ High Impact Resistance, can bear the weight of Patio Chairs, Lounge Chairs without indentation.
- ▶ The floor area, should have a gradient of 2-3 mm, to avoid water-logging beneath the tiles.

** NOTE: Wood being a "Living Material", each plank is unique in colour / knots and variation in structure, which a sample cannot show. The naturalness and variation is part of the uniqueness of wood. TEAK Wood changes its colour in natural sunlight.

** Special UV Treatment can delay it. (It is carried out at an additional cost.)



"WOOD ON DECKS" Technical Details

1.	Species	TECHTONA GRANDIS (TEAK)
2.	Classification	Tropical Hard-wood
3.	Density	620 – 710 kg/mq.
4.	Impact Resistance	High
5.	Condition	"YES" SEASONED-Naturally and KILN Dried
6.	Colour Change	"YES" **, (special UV Treatment can delay it)
7.	Colour Variation	"YES"*** as it is a natural product
8.	Temperature Resistance/ Variation	Very Stable. Negligible between +50°C (Hot) to -10°C (Cold).
9.	Thickness	19mm / 20 mm
10.	Other Treatment	"YES" (Stained and Oiled)
11.	Warranty	10 Years Limited Warranty
12.	Size of Tile - Type I	292 mm X 292 mm
13.	Area - Type I	0.92 sq.ft. per tile
14.	Calculation - Type I	109 tiles for 100 sq.ft .
15.	Packing - Type I	10 tiles per box/carton, area covered 9.2 sq.ft. per box
16.	Size of Tile - Type II	585 mm x 292 mm (Approx 2' x 1')
17.	Area - Type II	1.84 sq.ft. per tile
18.	Calculation - Type II	55 Tiles for 100 sq.ft .



Also available in
ORIGINAL BURMA TEAK



Outdoor Floors

WOOD ON DECKS




The
Living
Interiors

'The Living Interiors'

Opp. Hero Honda Showroom, Opp. Central Bank of India, Nr. Vijay Cross Roads, Navrangpura, Ahmedabad 380 009.
Tel.: +91 79 4003 0036 / 8128 44 55 66 Telefax: 079-2640 2180 E-mail: windoor@vsnl.net

www.windoor.in